

Reference list for *Symptom Management Algorithms - A Handbook for Palliative Care* (1999)

(1990). Cancer Pain Relief and Palliative Care. Geneva Switzerland, World Health Organization.

"Good care of the dying patient. Council on Scientific Affairs, American Medical Association." Jama (1996). **275**(6): 474-8.

Abrams, J. S., J. Gutheil, et al. "Potential applications of high-dose megestrol acetate in breast cancer." Oncology (1992). **49**(Suppl 2): 12-7.

Ahmedzai, S. "Recent clinical trials of pain control: impact on quality of life." Eur J Cancer (1995). **31A**(Suppl 6): S2-7.

Aisner, J., H. Parnes, et al. "Appetite stimulation and weight gain with megestrol acetate." Semin Oncol (1990). **17**(6 Suppl 9): 2-7.

Aisner, J., N. S. Tchekmedyian, et al. "Studies of high-dose megestrol acetate: potential applications in cachexia." Semin Oncol (1988). **15**(2 Suppl 1): 68-75.

Aldred, M. J., M. Addy, et al. "Oral health in the terminally ill: a cross-sectional pilot survey." Spec Care Dentist (1991). **11**(2): 59-62.

Anderson, B. and W. Holmes "Altered Mental States: An algorithm for assessment of delirium in the cancer patient." Current Issues in Cancer Nursing Practice Updates (1993). **2**(5): 1-9.

Austin, C., C. P. Cody, et al. "Hospice home care pain management. Four critical variables." Cancer Nurs (1986). **9**(2): 58-65.

Barzelai, L. P. "Evaluation of a home based hospice." J Fam Pract (1981). **12**(2): 241-5.

Bascom, P. B. "A hospital-based comfort care team: consultation for seriously ill and dying patients." Am J Hosp Palliat Care (1997). **14**(2): 57-60.

Baumrucker, S. J. "Duragesic (transdermal fentanyl) in hospice care." Am J Hosp Palliat Care (1996). **13**(6): 13-5.

Berry, J. I., C. C. Pulliam, et al. "Pharmaceutical services in hospices." Am J Hosp Pharm (1981). **38**(7): 1010-4.

Berry, P. E. and S. E. Ward "Barriers to pain management in hospice: a study of family caregivers." Hosp J (1995). **10**(4): 19-33.

Berry, Z. S. and J. Lynn "Hospice medicine." Jama (1993). **270**(2): 221-3.

Billings, A. (1989). Outpatient Management of Advanced Cancer, JB Lippincott.

Booth, S., M. J. Kelly, et al. "Does oxygen help dyspnea in patients with cancer?" Am J Respir Crit Care Med (1996). **153**(5): 1515-8.

Bottomly, D. and G. Hanks "Subcutaneous midazolam infusion in palliative care." Journal of Pain & Symptom Management (1990). **5**(4): 259-61.

Broadley, K. E., A. Kurowska, et al. "Ketamine injection used orally." Palliat Med (1996). **10**(3): 247-50.

- Brown, J. O. and L. A. Hoffman "The dental hygienist as a hospice care provider." Am J Hosp Palliat Care (1990). **7**(2): 31-5.
- Brown, S., D. North, et al. "Acupressure wrist bands to relieve nausea and vomiting in hospice patients: do they work?" Am J Hosp Palliat Care (1992). **9**(4): 26-9.
- Bruera, E. "Clinical management of anorexia and cachexia in patients with advanced cancer." Oncology (1992). **49**(Suppl 2): 35-42.
- Bruera E and e. a. MacEachern T "Subcutaneous morphine for dyspnea in cancer patients." Annals of Internal Medicine (1993). **119**: 906-907.
- Bruera, E., M. J. Miller, et al. "Estimate of survival of patients admitted to a palliative care unit: a prospective study." J Pain Symptom Manage (1992). **7**(2): 82-6.
- Bruera, E., M. J. Miller, et al. "Estimate of survival of patients admitted to a palliative care unit: a prospective study." J Pain Symptom Manage (1992). **7**(2): 82-6.
- Burke, A. e. a. "Terminal restlessness: Its management and the role of midlozam." Medical Journal of Australia (1991). **155**(7): 485-487.
- Christakis, N. A. "Timing of referral of terminally ill patients to an outpatient hospice." J Gen Intern Med (1994). **9**(6): 314-20.
- Cleary, J. F. and P. P. Carbone "Palliative medicine in the elderly." Cancer (1997). **80**(7): 1335-47.
- Cowcher, K. and G. Hanks "Longterm management of respiratory symptoms in advanced cancer." Journal of Pain & Symptom Management (1990). **5**(5): 320-330.
- Downer, S., S. Joel, et al. "A double blind placebo controlled trial of medroxyprogesterone acetate (MPA) in cancer cachexia." Br J Cancer (1993). **67**(5): 1102-5.
- Drummond, S. H., G. M. Peterson, et al. "National survey of drug use in palliative care." Palliat Med (1996). **10**(2): 119-24.
- Duckett, J. W., T. Cangiano, et al. "Intravesical morphine analgesia after bladder surgery [see comments]." J Urol (1997). **157**(4): 1407-9.
- Dunphy, K., I. Finlay, et al. "Rehydration in palliative and terminal care: if not—why not? [see comments]." Palliat Med (1995). **9**(3): 221-8.
- Enck, R. "The last few days." American Journal of Hospice & Palliative Care (1992). **9**(4): 11-13.
- Fainsinger, R., M. J. Miller, et al. "Symptom control during the last week of life on a palliative care unit." J Palliat Care (1991). **7**(1): 5-11.
- Fainsinger, R., M. J. Miller, et al. "Symptom control during the last week of life on a palliative care unit." J Palliat Care (1991). **7**(1): 5-11.
- Fainsinger, R., M. J. Miller, et al. "Symptom control during the last week of life on a palliative care unit." J Palliat Care (1991). **7**(1): 5-11.
- Fainsinger, R. L. "Integrating medical and surgical treatments in gastrointestinal, genitourinary, and biliary obstruction in patients with cancer." Hematol Oncol Clin North Am (1996). **10**(1): 173-88.

- Fallon, M. and B. O'Neill "ABC of palliative care. Constipation and diarrhoea." Bmj (1997). **315**(7118): 1293-6.
- Farncombe, M. and S. Chater "Case studies outlining the use of nebulized morphine for patients with endstage chronic lung and cardiac disease." Journal of Pain & Symptom Management (1993). **8**(4): 221-225.
- Glover, D. D., T. F. Lowry, et al. "Brompton's mixture in alleviating pain of terminal neoplastic disease: preliminary results." South Med J (1980). **73**(3): 278-82.
- Hansen-Flaschen, J. "Advanced lung disease. Palliation and terminal care." Clin Chest Med (1997). **18**(3): 645-55.
- Harris, M. D. and L. R. Satterly "The chaplain as a member of the hospice team." Home Healthc Nurse (1998). **16**(9): 591-3.
- Herbst, L. H. and L. G. Strause "Transdermal fentanyl use in hospice home-care patients with chronic cancer pain." J Pain Symptom Manage (1992). **7**(3 Suppl): S54-7.
- Hicks, F., K. H. Simpson, et al. "Management of spinal infusions in palliative care." Palliat Med (1994). **8**(4): 325-32.
- Hinton, J. "Can home care maintain an acceptable quality of life for patients with terminal cancer and their relatives?" Palliat Med (1994). **8**(3): 183-96.
- Howdyshell, C. "Complementary therapy: aromatherapy with massage for geriatric and hospice care—a call for an holistic approach." Hosp J (1998). **13**(3): 69-75.
- Howe, J. L. "Nebulized morphine for hospice patients." Am J Hosp Palliat Care (1995). **12**(5): 6.
- Hudzinski, D. M. "An algorithmic approach to cancer pain management." Nurs Clin North Am (1995). **30**(4): 711-23.
- Hunt, A. M. "A survey of signs, symptoms and symptom control in 30 terminally ill children." Dev Med Child Neurol (1990). **32**(4): 341-6.
- Ingham, J., A. Beveridge, et al. "The management of spinal cord compression in patients with advanced malignancy." J Pain Symptom Manage (1993). **8**(1): 1-6.
- Jacob, S. "Soothing the ragged edge of pain. Bring on the music." Am J Nurs (1986). **86**(9): 1034.
- Jacox, A., D. Carr, et al. (1994). Management of Cancer Pain: Clinical Practice Guidelines. Rockville, US Department of Health & Human Services.
- Johanson, G. A. "Symptom character and prevalence during cancer patients' last days of life." Am J Hosp Palliat Care (1991). **8**(2): 6-8, 18.
- Katcher, J. and D. Walsh "Opioid-induced itching: morphine sulfate and hydromorphone hydrochloride." J Pain Symptom Manage (1999). **17**(1): 70-2.
- Kaye, P. (1991). Notes on Symptom Control In Hospice & Palliative Care. Essex Connecticut, Hospice Education Institute.
- Kiesswetter, H. and W. Schober "Lioresal in the treatment of neurogenic bladder dysfunction." Urol Int (1975). **30**(1): 63-71.

Kinghorn, S. "Palliative care. Nausea and vomiting." Nurs Times (1997). **93**(33): 57-60.

Kinzbrunner, B. M. "Ethical dilemmas in hospice and palliative care." Support Care Cancer (1995). **3**(1): 28-36.

Kirkali, Z. and R. H. Whitaker "The use of oxybutynin in urological practice." Int Urol Nephrol (1987). **19**(4): 385-91.

Lee, D. S., M. L. McPherson, et al. "Quality assurance: documentation of pain assessment in hospice patients." Am J Hosp Palliat Care (1992). **9**(1): 38-43.

Levy, M. "Pain management in advanced cancer." Seminars in Oncology (1985). **12**: 404.

Lichter, I. and E. Hunt "The last 48 hours of life." J Palliat Care (1990). **6**(4): 7-15.

Lichter, I. and E. Hunt "The last 48 hours of life." Journal of Palliative Care (1990). **6**(4): 7-15.

Lloyd-Williams, M. "Treatment of depression with flupenthixol in terminally ill patients." Eur J Cancer Care (Engl) (1994). **3**(3): 133-4.

Loprinzi, C. L., N. M. Ellison, et al. "Controlled trial of megestrol acetate for the treatment of cancer anorexia and cachexia [see comments]." J Natl Cancer Inst (1990). **82**(13): 1127-32.

Loprinzi, C. L., R. M. Goldberg, et al. "Cancer-associated anorexia and cachexia. Implications for drug therapy." Drugs (1992). **43**(4): 499-506.

Luchins, D. J., P. Hanrahan, et al. "Criteria for enrolling dementia patients in hospice [see comments]." J Am Geriatr Soc (1997). **45**(9): 1054-9.

MacDonald, G. "Massage as a respite intervention for primary caregivers." Am J Hosp Palliat Care (1998). **15**(1): 43-7.

Macleod, A. D. "Methylphenidate in terminal depression." J Pain Symptom Manage (1998). **16**(3): 193-8.

Maddocks, I., A. Somogyi, et al. "Attenuation of morphine-induced delirium in palliative care by substitution with infusion of oxycodone." J Pain Symptom Manage (1996). **12**(3): 182-9.

Marquardt, K. A., R. S. Tharratt, et al. "Fentanyl remaining in a transdermal system following three days of continuous use." Ann Pharmacother (1995). **29**(10): 969-71.

Martin, E. "Confusion in the terminally ill: Recognition & management." American Journal of Hospice & Palliative Care (1990). **7**(3): 20-3.

Martin, E. W. "Confusion in the terminally ill: recognition and management." Am J Hosp Palliat Care (1990). **7**(3): 20-4.

Max, M., R. Payne, et al. (1992). Principles of Analgesic Use in the Treatment of Acute Pain and Cancer Pain. Illinois, American Pain Society.

McCabe, M. J. "Ethical issues in pain management." Hosp J (1997). **12**(2): 25-32.

McCaffery, M. and A. Beebe (1989). Pain: Clinical Manual for Nursing Practice. St. Louis, CV Mosby.

Melvin, T. A., I. N. Ozbek, et al. "Recognition of depression." Hosp J (1995). **10**(3): 39-46.

Nelson, K., D. Walsh, et al. "A phase II study of delta-9-tetrahydrocannabinol for appetite stimulation in cancer-associated anorexia." J Palliat Care (1994). **10**(1): 14-8.

Pace, J. C. and J. L. Stables "Correlates of spiritual well-being in terminally ill persons with AIDS and terminally ill persons with cancer." J Assoc Nurses AIDS Care (1997). **8**(6): 31-42.

Patt, R. (1993). Cancer Pain. Philadelphia, JB Lippincott.

Pickett, R. R. and S. J. Secor "High-tech pain management utilizing multiple analgesics—a case study." Am J Hosp Palliat Care (1995). **12**(1): 22-4.

Power, D. and M. Kearney "Management of the final 24 hours." Irish Medical Journal (1992). **85**(3): 93-95.

Preston, N. "New strategies for the management of malignant ascites." Eur J Cancer Care (Engl) (1995). **4**(4): 178-83.

Price, T. J., W. K. Patterson, et al. "Rifampicin as treatment for pruritus in malignant cholestasis." Support Care Cancer (1998). **6**(6): 533-5.

Reuben, D. B. and V. Mor "Dyspnea in terminally ill cancer patients." Chest (1986). **89**(2): 234-6.

Rousseau, P. "Antiemetic therapy in adults with terminal disease: a brief review [published erratum appears in Am J Hosp Palliat Care 1995 Sep- Oct;12(5):3]." Am J Hosp Palliat Care (1995). **12**(1): 13-8.

Rousseau, P. "Nonpain symptom management in terminal care." Clin Geriatr Med (1996). **12**(2): 313-27.

Runyon, B. A. "Treatment of patients with cirrhosis and ascites." Semin Liver Dis (1997). **17**(3): 249-60.

Russo, C. M. and W. G. Brose "Chronic pain." Annu Rev Med (1998). **49**: 123-33.

Saunders, D. C. "Principles of symptom control in terminal care." Med Clin North Am (1982). **66**(5): 1169-83.

Schmeler, K. and K. Bastin "Strontium-89 for symptomatic metastatic prostate cancer to bone: recommendations for hospice patients." Hosp J (1996). **11**(2): 1-10.

Schonwetter, R. S., T. A. Teasdale, et al. "Estimation of survival time in terminal cancer patients: an impedence to hospice admissions?" Hosp J (1990). **6**(4): 65-79.

Seale, C. and M. Kelly "A comparison of hospice and hospital care for people who die: views of the surviving spouse." Palliat Med (1997). **11**(2): 93-100.

Showalter, S. E. and S. Skobel "Hospice: humor, heartache and healing." Am J Hosp Palliat Care (1996). **13**(4): 8-9.

Smith, K. A. and E. Frank "Stereotaxic placement of a ventricular catheter and reservoir for the administration of morphine sulfate." Axone (1991). **13**(1): 12-5.

Snyder, J. R. "Therapeutic touch and the terminally ill: healing power through the hands." Am J Hosp Palliat Care (1997). **14**(2): 83-7.

- Spira, J. L. and D. Spiegel "Hypnosis and related techniques in pain management." Hosp J (1992). **8**(1-2): 89-119.
- Stephany, T. "Home care hospice bowel regimen." Home Healthc Nurse (1988). **6**(4): 40-1.
- Stephany, T. "Competency test for basic, low-tech pain control." Am J Hosp Palliat Care (1996). **13**(1): 10, 16.
- Storey, P. "Symptom control in advanced cancer." Semin Oncol (1994). **21**(6): 748-53.
- Sweeney, M. P. and J. Bagg "Oral care for hospice patients with advanced cancer." Dent Update (1995). **22**(10): 424-7.
- Sweeney, M. P., J. Bagg, et al. "Clinical trial of a mucin-containing oral spray for treatment of xerostomia in hospice patients." Palliat Med (1997). **11**(3): 225-32.
- Thompson, I. M. and R. Lauvetz "Oxybutynin in bladder spasm, neurogenic bladder, and enuresis." Urology (1976). **8**(5): 452-4.
- Voth, E. A. and R. H. Schwartz "Medicinal applications of delta-9-tetrahydrocannabinol and marijuana [see comments]." Ann Intern Med (1997). **126**(10): 791-8.
- Wallace, A. C. and S. Jackson "Establishing a district palliative care team for children." Child Care Health Dev (1995). **21**(6): 383-5.
- Walls, A. W. and I. D. Murray "Dental care of patients in a hospice." Palliat Med (1993). **7**(4): 313-21.
- Walsh, D. and T. West "Controlling symptoms in advanced cancer." British Medical Journal (1988). **296**: 477-481.
- Weitzner, M. A., L. N. Moody, et al. "Symptom management issues in hospice care." Am J Hosp Palliat Care (1997). **14**(4): 190-5.
- Weitzner, M. A., L. N. Moody, et al. "Symptom management issues in hospice care." Am J Hosp Palliat Care (1997). **14**(4): 190-5.
- Weitzner, M. A., L. N. Moody, et al. "Symptom management issues in hospice care." Am J Hosp Palliat Care (1997). **14**(4): 190-5.
- Whittam, E. H. "Terminal care of the dying child. Psychosocial implications of care." Cancer (1993). **71**(10 Suppl): 3450-62.
- Woodroffe, M. A. and H. Hays "Fentanyl transdermal system. Pain management at home." Can Fam Physician (1997). **43**: 268-72.
- Wyche, C. J. and W. E. Kerschbaum "Michigan hospice oral healthcare needs survey." J Dent Hyg (1994). **68**(1): 35-41.
- Wyche, C. J. and W. E. Kerschbaum "Michigan hospice oral healthcare needs survey." J Dent Hyg (1994). **68**(1): 35-41.
- Yosipovitch, G., C. Szolar, et al. "Effect of topically applied menthol on thermal, pain and itch sensations and biophysical properties of the skin." Arch Dermatol Res (1996). **288**(5-6): 245-8.
- Young, I., F. Daviskas, et al. "Effect of low dose nebulized morphine on exercise endurance in patients with chronic lung disease." Thorax (1989). **44**: 387-390.